

RECEIVED
CENTRAL FAX CENTER

JAN 16 2007


PTO/SB/21 (08-03)


Approved for use through 08/30/2003. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM (to be used for all correspondence after initial filing)	Application Number	10/018,319	
	Filing Date	04/25/2002	
	First Named Inventor	Manfred Stefener	
	Art Unit	1748	
	Examiner Name	Crepeau, Jonathan	
Total Number of Pages in This Submission	9	Attorney Docket Number	GRUNP17

ENCLOSURES (Check all that apply)		
<input type="checkbox"/> Fee Transmittal Form <input type="checkbox"/> Fee Attached <input type="checkbox"/> Amendment/Reply <input type="checkbox"/> After Final <input type="checkbox"/> Affidavits/declaration(s) <input type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement <input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Response to Missing Parts/Incomplete Application <input type="checkbox"/> Response to Missing Parts under 37 CFR 1.52 or 1.53	<input type="checkbox"/> Drawing(s) <input type="checkbox"/> Licensing-related Papers <input type="checkbox"/> Petition <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation <input type="checkbox"/> Change of Correspondence Address <input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Refund <input type="checkbox"/> CD, Number of CD(s) _____	<input type="checkbox"/> After Allowance communication to Technology Center (TC) <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input checked="" type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) <input type="checkbox"/> Proprietary Information <input type="checkbox"/> Status Letter <input type="checkbox"/> Other Enclosure(s) (please identify below):
Remarks		
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT		
Firm or Individual name	IP Strategies Thomas M. Champagne	
Signature		
Date	01/16/2007	

CERTIFICATE OF TRANSMISSION/MAILING		
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.		
Typed or printed name	Heather L. Pagella	
Signature		Date 01/16/2007

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

**RECEIVED
CENTRAL FAX CENTER****JAN 16 2007****IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES**

Application No.	Filing Date	First Named Inventor	Atty. Docket No.	Confirmation No.
10/018,319	04/25/2002	Manfred Stefener	GRUNP17	1648
Invention			Examiner	Art Unit
Fuel Cell System and Fuel Cell Therefor			Crepeau, Jonathan	1746

REPLY BRIEF

Mail Stop TTAB
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This is a Reply Brief in response to the Examiner's Answer dated November 27, 2006.

Status of the claims is listed on page 2;

Grounds of rejection to be reviewed on appeal are presented on page 3;

Arguments begin on page 4;

Application No. 10/018,319

Page 2 of 8

Reply Brief dated January 16, 2007

Reply to Examiner's Answer dated November 27, 2006

STATUS OF THE CLAIMS

This application was submitted on November 13, 2001, with claims 1-99. The following shows the current status of the claims.

1-22. Canceled.

23-29. Rejected.

30-73. Canceled.

74-75. Rejected.

76-99. Canceled.

Application No. 10/018,319

Page 3 of 8

Reply Brief dated January 16, 2007

Reply to Examiner's Answer dated November 27, 2006

GROUND OF REJECTION TO BE REVIEWED ON APPEAL

Whether claims 23-29, 74, and 75 are unpatentable under 35 USC §103(a) over
Lessing et al. (U.S. Patent 5,641,585), in view of Kelly et al. (U.S. Patent 6,268,077),
Gamo et al. (U.S. Patent 5,976,725), or Jankowski et al. (U.S. Patent 6,638,654).

Application No. 10/018,319

Page 4 of 8

Reply Brief dated January 16, 2007

Reply to Examiner's Answer dated November 27, 2006

ARGUMENT

This is a reply to the Examiner's Answer, in particular to the examiner's response to the appellants' argument in the Appeal Brief, set forth in Section 10 of the Examiner's Answer.

In the Answer, the examiner stated that the appellants have not offered support for the assertion that the teachings of the secondary references are not compatible with the teachings of Lessing et al. It is respectfully pointed out that, in making a *prima facie* case of obviousness, it is the examiner's burden to show compatibility. That is, the examiner must show that there is a reasonable expectation of success in combining the teachings of the references in an attempt to render obvious the claimed invention. *In re Rinehart*, 531 F.2d 1048, 189 USPQ 143 (CCPA 1976). It is submitted that the examiner has not shown a reasonable expectation of success, and has not demonstrated that the teachings of the secondary references are compatible with the teachings of Lessing et al.

As noted by the examiner, Lessing et al. teach a miniature ceramic fuel cell that is supported on a consumer device such as a mobile telephone. Both the fuel and ambient air are pumped to the fuel cell using pumps. The fuel is contained in a tank that is mounted on the consumer.

Kelley et al. disclose a portable power supply that includes a fuel storage means 110. As pointed out by the examiner, Kelley et al. disclose that the fuel delivery means 120 can be coupled to the fuel storage means 110 by a miniature quick disconnect 130. The fuel delivery means 130 is a device that controls the flow and/or pressure of a gas, such as a mechanical micro pressure regulator that is designed to operate with an output

Application No. 10/018,319

Page 5 of 8

Reply Brief dated January 16, 2007

Reply to Examiner's Answer dated November 27, 2006

pressure less than ten pounds per square inch, or a micro-machined regulator made from a silicon chip. This regulator is used because the hydrogen gas in the fuel storage means 110 must be pressurized. See Kelley et al. column 3, lines 20-30. In contrast, Lessing et al. use hydrocarbon fuels, and require the use of a fuel pump 22 to get the fuel from the fuel tank 18 into the power chamber 34. See Lessing et al. column 4, lines 42-49. It is not clear how a quick-disconnect device coupling a fuel storage means holding pressurized hydrogen gas to an electro-mechanical device can be successfully used to couple a fuel tank holding a hydrocarbon fuel to a fuel pump. These are clearly different devices that have different requirements. The examiner has not provided an explanation of how this substitution can be successfully accomplished, and it is submitted that such a substitution would require modification constituting an inventive step that would not be obvious to one of skill in the art.

Likewise, Gamo et al. disclose a portable battery pack using a fuel cell system, in which pressurized hydrogen gas is stored as fuel in a hydrogen occlusion alloy container 2. The container is coupled to a pressure regulator 5 used as a hydrogen pressure control mechanism by a connection portion 3 through a piping 6a. See Gamo et al. column 4, lines 20-42. The connection portion 3 has a structure for detaching the hydrogen occlusion alloy container 2 from the piping 6a so that the hydrogen occlusion alloy container 2 can be replaced, as noted by they examiner. However, as noted above, Lessing et al. use hydrocarbon fuels, and require the use of a fuel pump 22 to get the fuel from the fuel tank 18 into the power chamber 34. See Lessing et al. column 4, lines 42-49. Again, it is not clear how a detachable connection portion coupling a hydrogen

Application No. 10/018,319

Page 6 of 8

Reply Brief dated January 16, 2007

Reply to Examiner's Answer dated November 27, 2006

occlusion alloy container holding pressurized hydrogen gas to a regulator can be successfully used to couple a fuel tank holding a hydrocarbon fuel to a fuel pump. These are clearly different devices that have different requirements. The examiner has not provided an explanation of how this substitution can be successfully accomplished, and it is submitted that such a substitution would require modification constituting an inventive step that would not be obvious to one of skill in the art.

Jankowski et al. discloses a micro-electro-mechanical systems (MEMS)-based thin-film fuel cell, that is, a thin-film miniature fuel cell with microflow channels and fully-integrated control circuitry. The miniature fuel cells of this invention can be either solid oxide or solid polymer or proton exchange membrane electrolyte materials, and can also utilize catalyst layers between the electrodes and the electrolyte. Stacks of the thin-film fuel cells can be produced to provide a compact power source. See Jankowski et al. column 2, lines 9-22. The fuel cell includes microflow channels and manifolding micromachined into the host structure/substrate, and can utilize integrated microvalves, resistive heaters, or other means to control the flow of fuel to the fuel cell stack. As noted by the examiner, the MEMS-based fuel cell may incorporate a fuel reservoir as a modular cartridge that can be easily replaced or recharged. It is also disclosed that some form of valve can be placed in the micro-flow channels as a means of controlling the flow of fuel to the stack. See Jankowski et al. column 2, line 60 through column 3, line 26. Jankowski et al. do not disclose exactly how the connection of the modular cartridge can be accomplished, and further does not disclose any details of the connection of the fuel reservoir to the fuel cell at all. In any case, the thin-film fuel cell stack disclosed by

Application No. 10/018,319

Page 7 of 8

Reply Brief dated January 16, 2007

Reply to Examiner's Answer dated November 27, 2006

Jankowski et al. is quite different than the miniature ceramic fuel cell disclosed by Lessing et al. There is no teaching or suggestion in either of the references that would allow one of skill in the art to apply the modular cartridge of the Jankowski et al. thin-film fuel cell stack, which must make some connection to the micro-flow channels, to the fuel tank of the Lessing et al. ceramic fuel cell, which is connected to a fuel pump.

In summary, all of the secondary references disclose replaceable fuel reservoirs of some type. However, none of the secondary references provides the teaching or suggestion that the respective replaceable fuel reservoir is compatible with the Lessing et al. system absent modification of an inventive nature. Jankowski et al. in particular provides no disclosure at all that could be reasonably asserted to teach how the modular cartridge is connected in that very reference.

With respect to claims 26 and 27, the examiner asserted for the first time that Lessing et al. disclose a pump on the consumer side. However, claim 26 recites a pump device provided on the consumer side, for supporting a supply of the oxidising agent to the fuel cell device, and claim 27 recites that the supply of the oxidising agent is essentially supplied by the pump device. The examiner has not addressed all of the elements of these claims, only the existence of a pump. It is not clear whether Lessing et al. provide or suggest supplying an oxidizing agent by a pump device on the consumer side.

With respect to claims 24, 28, 74, and 75, the examiner has not demonstrated that Lessing et al. discloses pumps that have the capability to be controlled in the claimed manner.

Application No. 10/018,319

Page 8 of 8

Reply Brief dated January 16, 2007

Reply to Examiner's Answer dated November 27, 2006

Based on the foregoing, it is submitted that all rejections have been overcome. It is therefore requested that the claims be allowed, and the case passed to issue.

Respectfully submitted,

January 16, 2007

Date

TMC:hlp



Thomas M. Champagne

Registration No. 36,478

Customer No. 49691

828.253.8600

828.253.8620 fax